


Slim Profile Catalogue & Price List W.E.F. 15.11.2022



### About Us

Core is a Well Established Brand Since 2002, stands for the most trustworthy brand in providing the Architectural Glass Solutions across the World. We serve all kinds of Architectural Aluminium System and Products at reliable prices that meets budget sets by the Client. Time to time we always modify our versions to become modular and expert in our field. Core Product Range is an Expert's choice for Offices, Malls, Showrooms, Hospitals, Studios and Homes. We deal with PVD, Anodized,

**Powder Coated and Electroplating** for long lasting authenticity of products. In order to meet the Growing Demand from both individual and institutional clients, we have a system that allow us to keep side by side changing dynamics in **Interior Designing, Constructions and Demographics** at standard level, So by this we are able to have loyal customer base across the market.

#### Our Strengths:

- > 20 Years of Extensive Experience in this Industry.
- Dedicated Technical Team with the experience of over 20 years.
- Modular and Advanced Fittings.
- > Dedicated Sales and Customer Support Team.
- > Excellent in Introducing Exclusive Products range constantly.
- > Design clients needs.
- > Unlock client ideas into perfect figures.
- > Transforms Client's Visualization to Reality.

### Extremely Strict Quality Standards:

**CORE** provides an exclusive grade of metal according to the National and International Market Standards. Our all components passed through the Strict Quality parameters ensuring safety and functionality of every product. We assure to maintain the quality at reliable rates that meets the budget set by our valued clients.

### Business Opportunities With Us:

- ✓ With our valuable experience of 20 years in this Industry. We offer Hardware Dealing Companies to join hands for desirable business outcome through **Dealership**.
- ✓ We provide Distributorship Opportunities with Low Investments and Merchandising.
- ✓ We encourage startups to showcase our **Products in Display** for better understanding of their customers needs.
- Core welcomes the network of expert of installer to become Authorised Installer to start, Switch their business growth.
- ✓ We believe in Collaboration, Ideation, Implementation and Value Creation.







## AUTOMATIC SLIDING SENSOR DOOR





4.2mtr ₹ 137500.00 5.2mtr ₹ 162500.00















#### **Specification**

| Door Parameter                  |                            |  |
|---------------------------------|----------------------------|--|
| Single Leaf Maximum Opening     | 1200mm x 2400mm            |  |
| Bi-parting Door Maximum Opening | 2200mm x 2400mm            |  |
| Maximum Door Weight Single Leaf | 75kg to 90kg (Single Door) |  |
| Maximum Door Weight Double Leaf | 75kg x 2 Door (Bi-parting) |  |

#### Features and Advantages

- 1. Wide range of power-supply operation.
- 2. Intelligent control system
- 3. Drive equipment with low noise
- 4. Advanced brushless motor and worm wheel reducer are integrated.
- 5. Special self-locking function without any addition components.
- 6. Double door interlock function
- 7. Optional backup power supply to ensure the normal operation.
- 8. Apply to doors for garage, usage of anti-radiation for hospitals, warehouses, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
- 9. To connect with safety and Security system.
- 10. Easy installation & Easy Maintenance.
- 11. Track size: 4200mm/5200mm/6200mm.

### AUTOMATIC SWING DOOR WITH FLOOR SPRING



| CASD-01 | Automatic Single Swing Door | ₹ 100000.00 |
|---------|-----------------------------|-------------|
| CASD-02 | Automatic Double Swing Door | ₹ 187500.00 |









#### **Specification**

Door Parameter

Single Leaf Maximum Opening

1200mm x 2400mm

Maximum Door Weight Single Leaf 100kg to 130kg (Single Doo

#### Features and Advantages

- 1. Wide range of power-supply operation.
- 2. Intelligent control system.
- 3. Drive equipment with low noise
- 4. Advanced brushless motor and worm wheel reducer are integrated.
- 5. Special self-locking function without any addition components.
- 6. Double door interlock function
- 7. Optional backup power supply to ensure the normal operation.
- 8. Apply to doors for garage, usage of anti-radiation for hospitals, warehouses, science and technology factories, barrier-free space, commercial building, shopping mall, etc.
- 9. To connect with Safety and Security system.
- 10. Easy Installation & Easy Maintenance.
- 11. Track size: 4200mm/5200mm/6200mm.



























CASTS-02(1+2) ₹ 325000.00






CSTS-UT-01 (BM) Upper Track ₹ 700.00



CSTS-UTC-01 (BM) Upper Track Cover ₹ 400.00





- Automatic Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- It is Useful for Simultaneous Sliding of Two Panels in the same direction.
- Activated via motion sensor or switch button. Soft Close Sliding.
- It turns a Normal Sliding into the unique one. Reliable, Efficient and Safe in Sliding.
- Suitable for External and Internal areas Standard size of each Panel:
- 1000mm x 3000mm.
- Suitable for Glass Thickness 8mm Door Weight Capacity of each panel: Upto 70Kg
- Material Used: Hardware SS 304 Aluminium Profiles - 6463



-90°-0 (SS) L Jointer



CDS-JB-01 (BM) Divider profile ₹ 750.00



CHS-01 (BM) Top / Bottom Profile ₹ 700.00



Pasting Profile

CSP-SH-02 (BM)

Sliding Handle ₹ 4000.00 (Pair)

### 1+3 AUTOMATIC TELESCOPIC SLIDING DOOR

Door-1 Door-3













### CASTS-03(1+3) ₹ 375000.00





for one way opening in Extensive Areas.

- It is Useful for Simultaneous Sliding of Three Panels in the same direction.
- Activated via motion sensor or switch button.
- Soft Close Sliding.
- It turns a Normal Sliding into the unique one.
- Reliable, Efficient and Safe in Sliding.
- Suitable for External and Internal areas
- Standard size of each panel: 1000mm x 3000mm. Suitable for Glass Thickness 8mm
- Door Weight Capacity of each panel: Upto 70Kg
- Material Used: Hardware SS 304 Aluminium Profiles - 6463



































## 2+2 AUTOMATIC SYNCHRO SLIDING DOOR

Door Right











CASS-01(2+2) ₹ 450000.00

#### Features and Advantages

- Telescopic Sliding System are suitable for center opening in Extensive Areas.
- ➤ It is Useful for Sliding of Two Panels Simultaneously in the opposite direction.
- Soft Close Sliding.
- Standard size of each Panel: 1000mm x 3000mm.
- Suitable for Glass Thickness 8mm
- Door Weight Capacity of each panel: Upto 70Kg

Door

Dies Dies D







Divider Profile ₹750.00

CHS-01 (G) Top / Bottom Profile ₹ 700.00



CSP-SH-02 (G) Sliding Handle ₹ 4000.00 (Pair)

## 1+1 TELESCOPIC SLIDING DOOR





Fixed

Upper Track ₹700.00









₹ 9000.00 (Pair)



CSP-SH-02 (CG) Sliding Handle ₹ 4000.00 (Pair)



Automatic Telescopic Sliding System are suitable for one way opening in Extensive Areas.

CSTS-01(1+1)

₹ 18750.00

- > It is Useful for Sliding of one panel in the same direction.
- > Activated via motion sensor or switch button.
- > Soft Close Sliding.
- > It turns a Normal Sliding into the unique one.
- Reliable, Efficient and Safe in Sliding.
- Suitable for External and Internal areas
- Standard size of each panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304 Aluminium Profiles - 6463







Divider Profile

₹ 750.00



CHS-01 (CG) Top / Bottom Profile ₹ 700.00



CDS-JB-02 (CG) Pasting Profile ₹ 250.00











## 1+2 TELESCOPIC SLIDING DOOR

Door-1 Door-2





CSTS-UT-01 (RG) Upper Track




CSTS-UTC-01 (RG) Upper Track Cover ₹ 400.00



CSP-SHL-01 (RG) Handle With Lock ₹ 9000.00 (Pair)



Sliding Handle ₹ 4000.00 (Pair)





> Standard size of each Panel: 1000mm x 3000mm.

Features and Advantages

Telescopic Sliding System are suitable for one way opening

CSTS-02(1+2) ₹ 40000.00

- > Suitable for Glass Thickness 8mm
- Door Weight Capacity of each panel: Upto 70Kg



Side Profile ₹ 550.00





CDS-JB-01 (RG) Divider Profile ₹750.00



CHS-01 (RG) Top / Bottom Profile ₹ 700.00



CDS-JB-02 (RG) Pasting Profile ₹ 250.00

## 1+3 TELESCOPIC SLIDING DOOR







CSTS-UT-01 (BM) Upper Track ₹700,00



CSTS-UTC-01 (BM) Upper Track Cover ₹ 400.00



₹ 9000.00 (Pair)



CSP-SH-02 (BM) Sliding Handle ₹ 4000.00 (Pair)



CDS-JB-02 (BM) Pasting Profile ₹ 250.00





**Features and Advantages** 

- ➤ Telescopic Sliding System are suitable for one way opening in Extensive Areas.
- > It is Useful for Sliding of Three Panels in the same direction.
- > Soft Close Sliding.
- > Standard size of each panel: 1000mm x 3000mm.
- > Suitable for Glass Thickness 8mm
- ➤ Door Weight Capacity of








Divider Profile

₹ 750.00


























## 1+4 TELESCOPIC SLIDING DOOR








Upper Track ₹ 700.00




CSTS-UTC-01 (BM) Upper Track Cover ₹ 400.00









> Telescopic Sliding System are







Thickness 8mm

Door Right

Door Weight Capacity of each panel: Upto 70Kg



₹ 400 00



CDS-JB-01 (BM) Divider profile



CHS-01 (BM) Top / Bottom Profile ₹ 700 00



CSP-SH-02 (BM)

Sliding Handle

₹ 4000.00 (Pair)

## 2+2 SYNCHRO SLIDING DOOR










CDS-JB-02 (G) Pasting Profile ₹ 250.00





#### Features and Advantages

- > Telescopic Sliding System are suitable for center opening in Extensive Areas.
- ➤ It is Useful for Sliding of Two Panels in the opposite direction.
- > Soft Close Sliding.
- Standard size of each panel: 1000mm x 3000mm.
- Suitable for Glass Thickness 8mm
- > Door Weight Capacity of each panel: Upto 70Kg







CVS-01 (G) Side Profile ₹ 550.00

CVS-01 (BM)

Side Profile

₹ 550 00







CAPL-90°-01 (SS)







CDS-JB-01 (G)

Divider Profile ₹ 750.00





CHS-01 (G) Top / Bottom Profile ₹ 700.00





## SLIM PROFILES AND ACCESSORIES



## 16 mm x 45 mm Series



Size: 16x45 mm ₹ 550.00 per ft



Size: 16x45 mm ₹ 700.00 per ft



Upper Track ₹ 700.00 per ft



Track Cover ₹ 400.00 per ft



L Jointer ₹ 400.00

## 10 mm x 42 mm Series



Size: 10x42 mm ₹ 500.00 per ft



Size: 10x42 mm ₹ 650.00 per ft



Upper Track ₹ 700.00 per ft



Track Cover ₹ 400.00 per ft



L Jointer ₹ 400.00

## 10 mm x 32 mm Series



**CVS-03** Size: 10x32 mm ₹ 450.00 per ft



Size: 10x32 mm ₹ 600.00 per ft



Upper Track ₹ 700.00 per ft



Track Cover ₹ 400.00 per ft

























# **ACCESSORIES**





Glass Lock ₹ 9000.00



Bio Metric Door Lock ₹ 25000.00



Magnetic Glass Lock ₹ 10000.00



Butterfly Hinges
\*Price on Request



Top and Bottom Pivot ₹ 5000.00



L-Jointer **₹ 400.00** 



Jointer **₹ 200.00** 



L-Jointer **₹ 400.00** 



L-Jointer **₹ 200.00** 



L-Jointer ₹ 300.00



Size : 25x45 mm **₹ 4000.00** 



Hinges **₹ 4000.00** 



Hinges **₹ 4000.00** 



Handle With Lock ₹ 9000.00 (Pair)



Sliding Handle ₹ 4000.00 (Pair)
























## 1+2 FRAMELESS TELESCOPIC SLIDING DOOR
















#### **Features and Advantages**

- > Frameless Telescopic Sliding System are suitable for one way Opening in Extensive Areas.
- ➤ It is Useful for Simultaneous sliding of Two Panels in the same direction.
- > It turns a normal sliding into the unique One.
- > Standard size of each Panel: 1000mm x 3000mm
- > Suitable for Glass Thickness 8mm and 10mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304

Aluminium Profiles – 6463

> Standard Colour: Black Matt, Gold, Rosegold, Champagne

### 1+3 FRAMELESS TELESCOPIC SLIDING DOOR











#### Features and Advantages

- Frameless Telescopic Sliding System are suitable for one way Opening in Extensive Areas.
- It is Useful for Simultaneous sliding of Three Panels in the same direction.
- It turns a normal sliding into the unique One.
- Standard size of each Panel: 1000mm x 3000mm
- Suitable for Glass Thickness 8mm and 10mm
- Door Weight Capacity of each panel: Upto 70Kg
- Material Used: Hardware SS 304

Aluminium Profiles - 6463

Standard Colour: Black Matt, Gold, Rosegold, Champagne





CSTS-UTC-01 (G)

Upper Track Cove






















### 1+4 FRAMELESS SOFT CLOSE SLIDING DOOR
















#### **Features and Advantages**

- > Frameless Telescopic Sliding System are suitable for one way Opening in Extensive Areas.
- > It is Useful for Simultaneous sliding of Four Panels in the same direction.
- > It turns a normal sliding into the unique One.
- > Standard size of each Panel: 1000mm x 3000mm
- > Suitable for Glass Thickness 8mm and 10mm
- > Door Weight Capacity of each panel: Upto 70Kg
- > Material Used: Hardware SS 304

Aluminium Profiles - 6463

> Standard Colour: Black Matt, Gold, Rosegold, Champagne

## 2+2 FRAMELESS SYNCHRO SLIDING















#### **Features and Advantages**

- > Frameless Telescopic Sliding System are suitable for center opening in Extensive Areas.
- It is Useful for Simultaneous Sliding of Two Panels in the opposite direction.
- It turns a normal sliding into the unique One.
- Standard size of each Panel: 1000mm x 3000mm
- Suitable for Glass Thickness 8mm and 10mm
- Door Weight Capacity of each panel: Upto 70Kg
- Material Used: Hardware SS 304

Aluminium Profiles - 6463

> Standard Colour: Black Matt, Gold, Rosegold, Champagne





























## **SLIDE AND SWING**

# **CESS-01 ₹ 45000.00** Per Panel



## **Window Shapes**








#### **Technical Specifications:**


➤ Glass Thickness: 8,10,12 mm ➤ Maximum Height: 2700 mm ➤ Panel Width Range: 750 mm

➤ Panel: Customised


➤ Fix Section : 55 x 55 mm (Top & Bottom Rail)

➤ Sliding Section: 60 x 32 mm (Sliding Glass)





Simple Opening



Easy Displacement of the Elements



Large Opening Space



























CCSFL-A2 Folding Door Roller



Wall to Glass Hinge



CCSFL-H2 Glass to Glass Hinge




**CCSFL-LK** Sliding Glass Door Lock



CCSFL-B1 Upper Track



Sliding Handle



- ➤ Maximum Weight per Door: 60kg
- Maximum Width per Door: 900mm
- Maximum Height per Door: 2400mm
- Suitable for: 8mm, 10mm Glass Thickness

> Material Used : Hardware SS 304 Aluminium Profiles – 6463

## **SLIDING FOLDING SYSTEM**

₹ 90000.00

**CSFL-444** Center Opening (2+2)



CSFL-A9 Wall to Glass Hinge



CSFL-A10 Folding Door Roller



CSFL-A6 Glass Door Hinge

CSFL-A11 Folding Door Roller



CSFL-A12 Lower Column Clip



CSFL-A13L/R Glass Door Bolt



CSFL-A18R/L Glass Door Bolt



CSFL-C1 Upper Track (4Mtr.)



CSFL-A15 Lower Track (4Mtr.)



- Maximum Weight per Door: 70kg
- ➤ Maximum Width per Door : 900mm
- ➤ Maximum Height per Door : 2400mm Suitable for: 8mm, 10mm Glass Thickness
- ➤ Material Used
- : Hardware SS 304 Aluminium Profiles - 6463



CSFL-A14 Lower Column Clip



CSFL-A16 Upper Fixing Clip



Lower Fixing Clip































CMGP-01 ₹ 300.00 per ft



CMSP-02 ₹ 400.00 per ft





CMSP-03 ₹ 900.00 per ft



CMSP-04 ₹ 1000.00 per ft









I Profile Size-10/12mm \*Price on Request



L Profile Size-10/12mm

\*Price on Request



COPF-31

T Profile Size-10/12mm





Pasting Profile Size-6x25

\*Price on Request






























## **GLAZING PROFILES**









CGP-05 ₹ 450.00 per ft









CGP-06 ₹ 450.00 per ft



































## **OFFICE PARTITION SERIES**





Size: 25x45 MM ₹ 600.00 per ft



Size: 25x45 MM ₹ 450.00 per ft



Size: 25x45 MM ₹ 450.00 per ft



Size: 25x45 MM ₹ 450.00 per ft



Door Post ₹ 1100.00 per ft



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



COPF-12



\*Price on Request



\*Price on Request

























\*Price on Request



COPF-15

\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request



\*Price on Request

## **DOOR STOPPER SERIES**



Door Stopper
\*Price on Request



Door Stopper
\*Price on Request



Door Stopper
\*Price on Request



Door Stopper
\*Price on Request



\*Price on Request




































COPF-48

Capping Strip \*Price on Request







COPF-38

Flexi Carpet Profile Size-30/40/50mm

COPF-33

COPF-34












# SHOWER PARTITION PROFILES





COPF-02 Door Post ₹ 1100.00 per ft



CBH-01
Butterfly Hinges
\*Price on Request



CDH-8 (BM) 32x302x450 ₹ 6000.00



CGP-07
Fixing Profile
₹ 450.00 per ft



CSP-DN-01 Door Knob Lock \*Price on Request



COPF-01 Divider ₹ 600.00 per ft



CVS-01 (G) Side Profile ₹ 550.00



CDS-JB-01 (G) Divider Profile ₹ 750.00



CHS-01 (G)
Top / Bottom Profile
₹ 700.00



CSML-02 Magnetic Glass Lock ₹ 10000.00



CSOD-TPBP-01
Top and Bottom Pivot
₹ 5000.00



























# KITCHEN & OTHER PROFILES





Length Size:- 3 Mtr. ₹ 2000.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2000.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2250.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2000.00 Per Pcs



Length Size:- 3 Mtr. ₹ 3600.00 Per Pcs



Length Size:- 3 Mtr. ₹ 3075.00 Per Pcs



Length Size:- 3 Mtr.
₹ 1875.00 Per Pcs



Length Size:- 3 Mtr.
₹ 2125.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1900.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1075.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2325.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1075.00 Per Pcs




























₹ 2400.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2125.00 Per Pcs



Length Size:- 3 Mtr. ₹ 4000.00 Per Pcs



Length Size:- 3 Mtr. ₹ 4325.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2250.00 Per Pcs



Length Size:- 3 Mtr. ₹ 800.00 Per Pcs



Length Size:- 3 Mtr. ₹ 750.00 Per Pcs



Length Size:- 3 Mtr. ₹ 4000.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1600.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1600.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1075.00 Per Pcs



Length Size:- 3 Mtr. ₹ 950.00 Per Pcs



Length Size: - 3 Mtr. ₹ 600.00 Per Pcs



Length Size:- 3 Mtr. ₹ 600.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2700.00.00 Per Pcs



Length Size:- 3 Mtr. ₹ 725.00 Per Pcs



CKP-29 Length Size:- 3 Mtr. ₹ 2400.00 Per Pcs



Length Size:- 3 Mtr. ₹ 2400.00 Per Pcs



Length Size: - 3 Mtr. ₹ 750.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1150.00 Per Pcs



Length Size:- 3 Mtr. ₹ 1750.00 Per Pcs



Length Size:- 3 Mtr. \*Price on Request





₹ 950.00 Per Pcs

CLP-02

Length Size:- 3 Mtr. ₹ 1000.00 Per Pcs







₹ 750.00 Per Pcs



## **PVD COATED SS PROFILES**













Size (mm) Price
12X12 ₹ 700.00
19x19 ₹ 800.00
25X25 ₹ 900.00
38x38 ₹ 1250.00

L-PROFILE Length Size:- 8 Feet

Size (mm) Price

8 ₹ 500.00

12 ₹ 600.00

19 ₹ 750.00

25 ₹ 950.00

50 ₹ 1900.00

**PLAIN STRIP** 


Length Size:- 8 Feet



Size (mm) Price 8 ₹ 950.00 12 ₹ 1050.00

> 19 ₹ 1250.00 25 ₹ 1400.00

T-PROFILE Length Size:- 8 Feet



 Size (mm)
 Price

 6x8x6
 ₹ 700.00

 6x12x6
 ₹ 800.00

 6x19x6
 ₹ 900.00

 6x25x6
 ₹ 1250.00

**U-PROFILE** 

**Length Size:- 8 Feet** 
























## SWITCHABLE FILM

#### \*Price on Request

- A Sheet that can Switch from Transparent to Opaque and Vise Versa by Passing an Electric Current.
- Maintains Privacy on Clicking Swtich ON-OFF
- > Easy to Operate
- Operating Voltages: 35-70 VAC
- > Switching Time: 10ms
- Maximum Width: 1.8m (5.9ft) wide
- ➤ UV Blocking: 99%
- > Suitable for Indoor and Outdoor Application
- Custom Laser -Etched Patterns
- Available in Various Colors and Sizes
- Less Power Consumption
- No Maintenance Required









### **MOTORISED SLIDING GATE**

#### CAMSG-01 ₹ 137500.00



- Maximum Weight: 600Kg
- > 230 V AC Motor
- > Soft Start & Slow Stop Function
- ➤ Over Heat & Overload Dual Protection
- Motor Speed: 1440RPM





















Electric Lock for Picket Gate



EZY Open





Wire Less Car Switch



Radio Frequency Remote



Passcode Controller



Warning Light



Reflecting Photocell



Electric lock for Swing gate



Wall Switch



Photocell



**GSM** Receiver



Smart Wi-Fi



Touch Switch





























**Branches** 

#### Delhi (Head Office)

A-7B, A Block, Jhilmil Industrial Estate Back Side of Dilshad Garden Metro Station Delhi, 110095

#### Jaipur (Rajasthan)

B-74 Ved Villa Colony, Swej Farm, Ramnagar Vistar, Near Mahatma Jyoti Rao Phoole College Jaipur, Rajasthan 302019

#### Kolkata (West Bengal)

B-70/ H-17. Radha Madhav Dutta Lane. Dr. S.C. Banerjee Road, Beliaghata, Near Jora Mandir Kolkata, West Bengal 700010

#### Agra (Uttar Pradesh)

183/9 Neerav Nikunj Phase-2 Sikandra, Near Shanti Market Agra, Uttar Pradesh 282007

#### **Lucknow (Uttar Pradesh)**

D-135, Meera Tower, Vibhuti Khand, Gomti Nagar, Lucknow, Uttar Pradesh 226010

#### Kathmandu (Nepal)

Chappal Karkhana, Annapurna Marg, Maharajgunj, Kathmandu, Nepal - P.O. Box: 21725



www.corehardware.in www.corehardware.co.in



sales@corehardware.in coreglassfittings@gmail.com

### **Core Overseas Presence**

Bangladesh
Nepal

Sudan

Yemen

Kuwait Australia

Qatar

Uganda

 Ghana • Kenya

Jordan

Egypt

Congo

Oman

Ethiopia

Moscow

Tanzania

2 Nigeria

Palestine Turkey

Bhutan



### Price are subject to change without prior notice

Product photos shown in the catalogue are only the visual and may be differ from original. The technical presentation and dimension in illustration and shown are for reference only. Please Refer the original product for toughened glass cut-out.











Scan QR Code to Master Catalogue